

View Online at <https://aerobasegroup.com/nsn/5945-00-486-7610>

Thread Class:

2a single mounting facility

Overall Length:

1.625 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.375 inches single mounting facility

Overall Height:

1.375 inches

Overall Width:

1.031 inches

Environmental Protection:

Fungus resistant and salt spray resistant and shock resistant and vibration resistant and water resistant and corrosion resistant and humidity resistant

Center To Center Distance Between Mounting Facilities Parallel To Height:

0.437 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

300.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, single throw, normally closed, momentary action

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 28.0 dc

Precious Material And Location:

Contacts palladium

Precious Material:

Palladium

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

10 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300