

View Online at <https://aerobasegroup.com/nsn/5945-00-486-7610>

**Thread Class:**

2a single mounting facility

**Overall Length:**

1.625 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.375 inches single mounting facility

**Overall Height:**

1.375 inches

**Overall Width:**

1.031 inches

**Environmental Protection:**

Fungus resistant and salt spray resistant and shock resistant and vibration resistant and water resistant and corrosion resistant and humidity resistant

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.437 inches single mounting facility

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

300.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

2 threaded stud single mounting facility

**Thread Size:**

0.112 inches single mounting facility

**Mounting Facility Pattern:**

Diagonal single mounting facility

**Nonpile-up Main Contact Arrangement:**

4 pole, single throw, normally closed, momentary action

**Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

110.0 ac and 28.0 dc

**Precious Material And Location:**

Contacts palladium

**Precious Material:**

Palladium

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

10 tab, solder lug all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300