## NSN 5945-00-491-3723

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-491-3723

Length:

Width:

| Overall Length:   |
|---|
| 2.562 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To |
| 2.000 inches single mounting facility                             |
| Center To Center Distance Between Mounting Facilities Parallel To |
| 1.000 inches single mounting facility                             |
| Overall Height:   |
| 1.500 inches  |
| Overall Width:  |
| 2.000 inches  |
| Unthreaded Mounting Hole Diameter:                                |
| 0.152 inches single mounting facility                             |
| Winding Quantity:   |
| 1   |
| Coil Quantity:  |
| 1   |
| Winding Dc Resistance Rating:                                     |
| 1.17 kilohms single winding                                       |
| Duty Type:  |
| Intermittent  |
| Mounting Facility Type And Quantity:                              |
| 2 unthreaded hole single mounting facility                        |
| Mounting Facility Pattern:  |
| Diagonal single mounting facility                                 |
| Nonpile-up Main Contact Arrangement:                              |
| 1 pole, double throw, one position momentary                      |
| Operating Current Rating And Type:                                |
| 1.0 amperes dc single winding                                     |
| Operating Voltage Rating And Type At Specificationified Temp:     |
| 12.0 volts dc 25 degrees celsius single winding                   |
| Main Contact Load Current Rating At Maximum Rated Voltage:        |
| 1.0 amperes ac resistive load                                     |
| Main Contact Maximum Voltage Rating In Volts:                     |
| 26.5 ac   |
| Terminal Type And Quantity:                                       |
| 5 pin all functions   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |

No

## NSN 5945-00-491-3723

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300