NSN 5945-00-497-4504

Electromagnetic Relay - Page 1 of 2

14 pin all functions



View Online at https://aerobasegroup.com/nsn/5945-00-497-4504

Thread Class:		
2a single mounting facility		
Overall Length:		
2.250 inches		
Overall Height:		
1.250 inches		
Overall Width:		
1.437 inches		
Environmental Protection:		
Hermetic		
Winding Quantity:		
1		
Coil Quantity:		
1		
Winding Dc Resistance Rating:		
122.0 ohms single winding		
Duty Type:		
Continuous		
Mounting Facility Type And Quantity:		
3 threaded stud single mounting facility		
Thread Size:		
0.112 inches single mounting facility		
Mounting Facility Pattern:		
Triangle single mounting facility		
Nonpile-up Main Contact Arrangement:		
4 pole, double throw, one position momentary		
Operating Current Rating And Type:		
230.0 milliamperes dc single winding		
Time Delay:		
0.50 seconds adjustable operate time and 5.00 seconds adjustable operate time		
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:		
0.625 inches single mounting facility		
Operating Voltage Rating And Type At Specificationified Temp:		
28.0 volts dc 25 degrees celsius single winding		
Main Contact Load Current Rating At Maximum Rated Voltage:		
2.0 amperes dc resistive load		
Main Contact Maximum Voltage Rating In Volts:		
30.0 dc		
Thread Series Designator:		
Unc single mounting facility		
Terminal Type And Quantity:		

NSN 5945-00-497-4504

Electromagnetic Relay - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300