## NSN 5945-00-498-4328

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-498-4328

**Thread Class:** 2a single mounting facility **Thread Length:** 0.250 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 1.000 inches **Overall Width:** 1.000 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 2.5 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** In-line single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 4.0 milliamperes dc single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load and 2.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac and 28.0 dc **Special Test Features:** Navord od41152 **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 8 wire hook all functions **Reference Number Differentiating Characteristics:** 

As differentiated by special test features

## NSN 5945-00-498-4328

Electromagnetic Relay - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300