NSN 5945-00-500-6813

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-500-6813

Thread Class:

2b single mounting facility

Overall Length:

1.570 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.375 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.531 inches single mounting facility

Overall Height:

1.170 inches

Overall Width:

1.120 inches

End Application:

Type no. 18s-4

Winding Quantity:

,

Coil Quantity:

٠.

Winding Dc Resistance Rating:

100.0 ohms single winding

Duty Type:

Intermittent

Mounting Facility Type And Quantity:

6 threaded hole single mounting facility

Pile-up Main Contact Form Arrangement:

2c1a

Thready Qty Per Inch (tpi):

40 single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Operating Current Rating And Type:

260.0 milliamperes dc single winding

Time Delay:

2.00 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 32.0 dc

NSN 5945-00-500-6813

Electromagnetic Relay - Page 2 of 2



	T	hr	ead	Series	Design	nator
--	---	----	-----	---------------	--------	-------

Unc single mounting facility

Terminal Type And Quantity:

10 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300