NSN 5945-00-502-4507

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-502-4507

Thread Class:
2a mounting facility stud
Body Style:
Armature end actuator
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.875 inches
Body Diameter:
1.312 inches
Body Height:
0.797 inches
Case Material:
Steel
Case Surface Treatment:
Cadmium
Environmental Protection:
Any acceptable
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
8.02 ohms
Duty Type:
Continuous
Terminal Location:
Circumference
Mounting Facility Type And Quantity:
2 threaded stud
Current Rating:
3.8 amperes
Torque Rating And Type:
1.70 inch-pounds starting
Thready Qty Per Inch (tpi):
40 mounting facility stud
Actuator Stroke Type:
Rotary
Power Takeoff Connection Type:
Plate coupling
Plate Coupling Facility And Quantity:
3 unthreaded hole

0.437 inches

Plate Coupling Facility Diameter:

NSN 5945-00-502-4507 Electrical Solenoid - Page 2 of 2



Power Takeoff Connection Hole Diameter:
0.078 inches
Plate Coupling Facility Radius:
0.438 inches
Thread Size:
0.125 inches mounting facility stud
Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:
45.0 clockwise
Thread Series Designator:
Unc mounting facility stud
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A134a0