## NSN 5945-00-502-5084

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-502-5084

### Overall Length:

4.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.688 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility

**Overall Height:** 

2.870 inches

**Overall Width:** 

3.000 inches

**Unthreaded Mounting Hole Diameter:** 

0.177 inches single mounting facility

**End Application:** 

Mk 33

Frequency In Hertz:

60.0

**Winding Quantity:** 

**Coil Quantity:** 

#### Winding Dc Resistance Rating:

180.0 ohms single winding

**Duty Type:** 

Continuous

#### **Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

**Mounting Facility Pattern:** 

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally open, momentary action

**Operating Current Rating And Type:** 

140.0 milliamperes ac single winding

**Operating Voltage Rating And Type At Specificationified Temp:** 

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

30.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

230.0 dc

**Special Features:** 

Arc quenching method: blowout coil

**Terminal Type And Quantity:** 

6 pin all functions

# NSN 5945-00-502-5084

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300