# NSN 5945-00-502-6346

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-502-6346

## Overall Length:

2.180 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility

#### **Overall Height:**

3.090 inches

#### **Overall Width:**

2.180 inches

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.169 inches single mounting facility

#### Winding Quantity:

1

#### **Coil Quantity:**

4

# Winding Dc Resistance Rating:

5.0 kilohms single winding

# **Duty Type:**

Continuous

#### **Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

# Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

# **Operating Current Rating And Type:**

2.0 milliamperes dc single winding

# Time Delay:

0.08 seconds fixed release time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

100.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

100.0 dc

## **Special Features:**

Std octal socket used for terminals

#### **Terminal Type And Quantity:**

5 pin all functions

# NSN 5945-00-502-6346

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300