# NSN 5945-00-523-2006

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-523-2006

# Thread Class:

2a mounting facility stud

## **Body Style:**

Base end actuator

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.062 inches

# **Body Diameter:**

1.609 inches

#### **Body Height:**

0.218 inches

#### Case Material:

Steel

Maximum Operating Temp:

# 80.0 degrees celsius

#### **Actuator Diameter:**

0.229 inches

# Inclosure Type:

Fully enclosed

# Magnetic Coil Quantity:

1

## Electrical Resistance:

480.00 ohms

# Duty Type:

Intermittent

# **Terminal Location:**

Circumference

## Voltage Rating In Volts:

120.0 dc

## Mounting Facility Type And Quantity:

2 threaded stud

## Torque Rating And Type:

8.00 inch-pounds starting and 1.0 centimeter-grams end

## Thready Qty Per Inch (tpi):

32 mounting facility stud

## Actuator Stroke Type:

Rotary

# Power Takeoff Connection Type:

Plain

# Energizing Stroke Maximum Length:

0.036 inches

# Thread Size:

0.138 inches mounting facility stud

# NSN 5945-00-523-2006

Electrical Solenoid - Page 2 of 2



Mounting Facility Pattern: Two position in-line Rotation Direction And Energizing Stroke In Angular Deg: 35.0 counterclockwise Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A134a0