## NSN 5945-00-532-0921

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-532-0921

**Thread Class:** 2a mounting facility stud **Body Style:** Base end actuator **Center To Center Distance Between Mounting Facilities Parallel To Width:** 1.062 inches **Body Diameter:** 1.609 inches **Body Height:** 1.015 inches **Case Material:** Steel **Case Surface Treatment:** Paint **Environmental Protection:** Dustproof **Maximum Operating Temp:** 175.0 degrees celsius **Actuator Diameter:** 0.219 inches **Inclosure Type:** Fully enclosed **Magnetic Coil Quantity: Electrical Resistance:** 88.30 ohms **Duty Type:** Continuous **Terminal Location:** Circumference **Voltage Rating In Volts: Mounting Facility Type And Quantity:** 2 threaded stud **Torque Rating And Type:** 8.74 inch-pounds starting and 10.26 inch-pounds end Thready Qty Per Inch (tpi): 32 mounting facility stud **Actuator Stroke Type:** Rotary **Power Takeoff Connection Type:** 

Plain-drilled

## **NSN 5945-00-532-0921** Electrical Solenoid - Page 2 of 2

Fiig: A134a0



Thread Size:
0.138 inches mounting facility stud
Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:
25.0 clockwise
Thread Series Designator:
Unc mounting facility stud
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No