NSN 5945-00-532-1981

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-532-1981
Overall Length:
2.380 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility
Overall Height:
3.000 inches
Overall Width:
2.380 inches
Overall Diameter:
2.500 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.170 inches single mounting facility
Frequency In Hertz:
400.0
Winding Quantity:
2
Coil Quantity:
2
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Features Provided:
Polarized and latching contacts
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Time Delay:
0.060 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
35.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
28.0 dc

Terminal Type And Quantity:

13 threaded stud all functions

NSN 5945-00-532-1981

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300