NSN 5945-00-537-4601

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-537-4601

Thread Class:

2a single mounting facility

Overall Length:

1.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.500 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.125 inches single mounting facility

Overall Height:

1.000 inches

Overall Width:

1.000 inches

Environmental Protection:

Hermetic

Winding Quantity:

Coil Quantity:

Con Quanti

1

1

Winding Dc Resistance Rating:

1.000 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Pile-up Main Contact Form Arrangement:

2c

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Operating Current Rating And Type:

20.0 milliamperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

20.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

24.0 dc

Special Features:

Minus 40 degrees c to plus 85 degrees c operating temp range, 1 w maximum coil dissipation

Thread Series Designator:

Unc single mounting facility

NSN 5945-00-537-4601

Electromagnetic Relay - Page 2 of 2



Fsc Application Data (non-core):

Relay armature except engine

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300