## NSN 5945-00-539-2386

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-539-2386

**Thread Class:** 

2b single mounting facility

**Overall Length:** 

4.620 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.406 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility

**Overall Height:** 

3.680 inches

**Overall Width:** 

2.250 inches

Winding Quantity:

3

**Coil Quantity:** 

3

Winding Dc Resistance Rating:

175.0 ohms third winding

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

4 threaded hole single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

**Thread Size:** 

0.138 inches single mounting facility

**Mounting Facility Pattern:** 

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally closed, momentary action

**Operating Current Rating And Type:** 

1.82 amperes dc all windings

**Nonpile-up Auxiliary Contact Arrangement:** 

2 pole, single throw, normally closed, momentary action

**Auxiliary Contact Maximum Voltage Rating In Volts:** 

28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

## NSN 5945-00-539-2386

Electromagnetic Relay - Page 2 of 2



<b>Thread</b>	<b>Series</b>	Design	ator:

Unc single mounting facility

**Terminal Type And Quantity:** 

14 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300