NSN 5945-00-539-2566

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-539-2566
Overall Length:
2.870 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.620 inches single mounting facility
Overall Height:
4.750 inches
Overall Width:
0.840 inches
Environmental Protection:
Water resistant and dust tight
Unthreaded Mounting Hole Diameter:
0.094 inches single mounting facility
End Application:
Type no. An/tsq-8
Winding Quantity:
5
Coil Quantity:
1
Winding Dc Resistance Rating:
1.025 kilohms all windings
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
5 pole, single throw, normally open, momentary action
Operating Current Rating And Type:
10.5 milliamperes dc all windings
Operating Voltage Rating And Type At Specificationified Temp:
48.0 volts dc 25 degrees celsius all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
50.0 dc
Terminal Type And Quantity:
12 pin all functions
Fsc Application Data (non-core):
Relay armature, except engine
Shelf Life:

N/a

NSN 5945-00-539-2566

Electromagnetic Relay - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A03300