# NSN 5945-00-549-6347

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-549-6347

## Thread Class:

2a single mounting facility

## **Overall Length:**

1.670 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility

## **Overall Height:**

1.780 inches

## Overall Width:

1.140 inches

## End Application:

Type an/spq-5

## Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

300.0 ohms single winding

#### Duty Type:

Continuous

## Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### Thread Size:

0.138 inches single mounting facility

#### Mounting Facility Pattern:

In-line single mounting facility

#### Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

88.0 amperes dc single winding

#### Nonpile-up Auxiliary Contact Arrangement:

4 pole, double throw, one position momentary

## Auxiliary Contact Maximum Voltage Rating In Volts:

#### 26.5 dc

## Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load

#### Main Contact Maximum Voltage Rating In Volts:

115.0 ac

## NSN 5945-00-549-6347

Electromagnetic Relay - Page 2 of 2



**Thread Series Designator:** 

Unc single mounting facility

Terminal Type And Quantity:

26 pin all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300