NSN 5945-00-549-6936

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-549-6936

Thread Class: 2b single mounting facility **Overall Length:** 1.812 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.312 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 2.312 inches **Overall Width:** 2.000 inches Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 8.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 1 two circuit, both positions maintained **Operating Current Rating And Type:** 10.0 milliamperes dc single winding Time Delay: 0.035 seconds fixed operate time **Operating Voltage Rating And Type At Specificationified Temp:** 110.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 8.0 amperes ac resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac

Thread Series Designator:

Unc single mounting facility

NSN 5945-00-549-6936

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

6 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300