

View Online at <https://aerobasegroup.com/nsn/5945-00-549-9982>

Overall Length:

1.870 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.937 inches single mounting facility

Overall Height:

3.120 inches

Overall Width:

1.430 inches

Environmental Protection:

Hermetic

End Application:

Type no. An/grc-27

Frequency In Hertz:

60.0

Winding Quantity:

2

Coil Quantity:

2

Winding Dc Resistance Rating:

3.285 kilohms second winding

Duty Type:

Continuous

Arc Quenching Method:

Inert gas

Mounting Facility Type And Quantity:

3 unthreaded hole single mounting facility

Pile-up Main Contact Form Arrangement:

1a and 1a and 1b2c and 1a

Features Provided:

Polarized

Mounting Facility Pattern:

Triangle single mounting facility

Operating Current Rating And Type:

4.5 milliamperes dc first winding

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.187 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

96.7 volts dc 25 degrees celsius first winding

Main Contact Load Current Rating At Maximum Rated Voltage:

500.0 milliamperes ac resistive load and 100.0 milliamperes ac resistive load and 30.0 milliamperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300