## NSN 5945-00-552-3385

Electromagnetic Relay - Page 1 of 2

15.0 amperes ac resistive load



View Online at https://aerobasegroup.com/nsn/5945-00-552-3385

Overall Length:
5.750 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.875 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.625 inches single mounting facility
Overall Height:
3.313 inches
Overall Width:
5.500 inches
Case Material:
Metal
Unthreaded Mounting Hole Diameter:
0.281 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
104.774 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
5.750 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
440.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:

## NSN 5945-00-552-3385

Electromagnetic Relay - Page 2 of 2



Main (	Contact	Maximum	Voltage	Rating	ln	Volts:

440.0 ac

**Terminal Type And Quantity:** 

5 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300