NSN 5945-00-552-6188

Electrical Solenoid - Page 1 of 2

Thread Class:

2 wire lead



View Online at https://aerobasegroup.com/nsn/5945-00-552-6188

2a mounting facility stud
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.718 inches
Case Material:
Steel
Case Surface Treatment:
Cadmium
Environmental Protection:
Dustproof
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
882.00 ohms
Voltage Rating In Volts:
89.2 dc
Mounting Facility Type And Quantity:
2 threaded stud
Current Rating:
101.0 milliamperes
Torque Rating And Type:
0.12 inch-pounds starting and 0.24 inch-pounds end
Thready Qty Per Inch (tpi):
48 mounting facility stud
Actuator Stroke Type:
Rotary
Power Takeoff Connection Type:
Plain
Energizing Stroke Maximum Length:
0.030 inches
Thread Size:
0.099 inches mounting facility stud
Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:
40.0 clockwise
Thread Series Designator:
Unc mounting facility stud
Terminal Type And Quantity:

NSN 5945-00-552-6188

Electrical Solenoid - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0