NSN 5945-00-553-9577

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-553-9577
Overall Length:
2.600 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.125 inches single mounting facility
Overall Height:
2.340 inches
Overall Width:
2.500 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.208 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
200.0 milliamperes dc first winding
Operating Voltage Rating And Type At Specificationified Temp:
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
10.0 amperes ac resistive load and 10.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Test Data Document:
81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
8 pin all functions
Specification Data:
88044-an3311 government standard
Shelf Life:
N/a

--

Unit Of Measure:

NSN 5945-00-553-9577

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300

Mil-std (military Standard):

Mil-r-6106 spec.