NSN 5945-00-553-9577

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-553-9577

Overall Length:

2.600 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility

Overall Height:

2.340 inches

Overall Width:

2.500 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.208 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

200.0 milliamperes dc first winding

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

8 pin all functions

Specification Data:

88044-an3311 government standard

Shelf Life:

N/a

- Unit Of Measure:
- ---

NSN 5945-00-553-9577

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300

Mil-std (military Standard):

Mil-r-6106 spec.