NSN 5945-00-557-4449

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-557-4449

Thread Class:

2a second mounting facility

Overall Length:

1.590 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.625 inches second mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.625 inches second mounting facility

Overall Height:

3.210 inches

Overall Width:

1.590 inches

Environmental Protection:

Hermetic

Winding Quantity:

- - - -

Coil Quantity:

•

Winding Dc Resistance Rating:

5.5 kilohms all windings

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud second mounting facility

Features Provided:

Polarized

Thready Qty Per Inch (tpi):

32 second mounting facility

Thread Size:

0.138 inches second mounting facility

Mounting Facility Pattern:

Diagonal second mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

Minimum Differential Electrical Operating Rating:

0.036 milliamperes

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

Thread Series Designator:

Unc second mounting facility

NSN 5945-00-557-4449

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

7 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300