NSN 5945-00-561-7868

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-561-7868

view Online at https://aerobasegroup.com/nsn/5945-00-561-7666
Overall Length:
3.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.375 inches single mounting facility
Overall Height:
2.500 inches
Overall Width:
2.810 inches
Mounting Slot Width:
0.166 inches single mounting facility
Case Material:
Metal
Unthreaded Mounting Hole Diameter:
0.166 inches single mounting facility
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
205.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility and 1 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
21.075 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally closed, momentary action
Operating Current Rating And Type:
160.0 milliamperes dc first winding
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

2.750 inches single mounting facility

NSN 5945-00-561-7868

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

27.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac inductive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300