NSN 5945-00-581-6512

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-581-6512

Thread Class: 2a single mounting facility **Overall Length:** 2.870 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.218 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 1.218 inches single mounting facility **Overall Height:** 1.640 inches **Overall Width:** 1.640 inches **Environmental Protection:** Explosion proof and hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 153.0 ohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Capacitor **Mounting Facility Type And Quantity:** 4 threaded stud single mounting facility **Thread Size:** 0.166 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 4 pole, double throw, one position momentary **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load and 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 30.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 pin all functions

NSN 5945-00-581-6512

Electromagnetic Relay - Page 2 of 2



	L -	16		ife	_
3	ne	п	_	пе	Ξ

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300