## NSN 5945-00-581-7014

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-581-7014

View Online at https://aerobasegroup.com/nsn/5945-00-581-7014
Overall Length:
3.870 inches
Overall Height:
3.120 inches
Overall Width:
3.500 inches
Mounting Slot Width:
0.150 inches single mounting facility
Unthreaded Mounting Hole Diameter:
0.172 inches single mounting facility
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
50.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility and 1 unthreaded hole single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, single throw, normally open, momentary action
Operating Current Rating And Type:
1.0 amperes ac single winding
Nonpile-up Auxiliary Contact Arrangement:
2 pole, single throw, normally closed, momentary action
Auxiliary Contact Maximum Voltage Rating In Volts:
110.0 ac
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
3.250 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
110.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
25.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
110.0 ac
Terminal Type And Quantity:

8 pin all functions

## NSN 5945-00-581-7014

Electromagnetic Relay - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300