## NSN 5945-00-590-2542

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-590-2542

**Thread Class:** 

2a single mounting facility

**Thread Length:** 

0.370 inches single mounting facility and 0.440 inches single mounting facility

**Overall Length:** 

2.190 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

1.180 inches single mounting facility and 1.200 inches single mounting facility

**Overall Height:** 

0.687 inches

**Overall Width:** 

1.531 inches

Winding Quantity:

1

**Coil Quantity:** 

1

Winding Dc Resistance Rating:

630.0 ohms single winding

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

2 threaded stud single mounting facility

**Thread Size:** 

0.138 inches single mounting facility

**Mounting Facility Pattern:** 

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac inductive load and 3.0 amperes dc inductive load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac and 28.0 dc

**Special Test Features:** 

Navord od36190

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

8 wire hook all functions

**Reference Number Differentiating Characteristics:** 

As differentiated by special test features

## NSN 5945-00-590-2542

Electromagnetic Relay - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300