# NSN 5945-00-601-6176

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-601-6176

Overall Length:
-----------------

1.340 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.067 inches single mounting facility

**Overall Height:** 

1.062 inches

Overall Width:

0.400 inches

#### **Environmental Protection:**

Hermetic

### **Unthreaded Mounting Hole Diameter:**

0.120 inches single mounting facility

#### Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

495.0 ohms single winding and 1.025 kilohms single winding

# **Duty Type:**

Continuous

# **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

In-line single mounting facility

# **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

# Time Delay:

0.01 seconds fixed operate and release time

#### Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 milliamperes ac resistive load and 300.0 milliamperes dc resistive load

# **Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

#### **Test Data Document:**

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Terminal Type And Quantity:**

8 pin all functions

#### **Specification Data:**

81349-mil-r-5757/10 government specification

# Shelf Life:

N/a

# NSN 5945-00-601-6176

Electromagnetic Relay - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A03300