NSN 5945-00-607-3071

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-607-3071

Thread Class: 2b single mounting facility **Overall Length:** 4.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.750 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 2.500 inches **Overall Width:** 2.500 inches Frequency In Hertz: 60.0 Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 60.7 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.164 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.15 seconds adjustable operate time and 10.00 seconds adjustable operate time **Operating Voltage Rating And Type At Specificationified Temp:** 115.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 5.0 amperes ac resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac

Thread Series Designator:

Unc single mounting facility

NSN 5945-00-607-3071

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300