# NSN 5945-00-630-6040

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-630-6040

## Thread Class:

2a single mounting facility

#### **Thread Direction:**

Right-hand single mounting facility

#### **Overall Length:**

1.580 inches

#### **Overall Height:**

1.397 inches

#### **Overall Width:**

0.735 inches

#### Case Material:

Plastic

#### **Environmental Protection:**

Dustproof

#### Fragility Factor:

#### Moderately rugged

**Contact Material:** 

#### Silver

Winding Quantity:

1

#### **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

## Winding Dc Resistance Rating:

800.0 ohms single winding

## Duty Type:

Continuous

## Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

1 threaded stud single mounting facility

## Storage Type:

General purpose warehouse

## Cubic Measure:

1.622 cubic inches

## Thready Qty Per Inch (tpi):

48 single mounting facility

## Thread Size:

0.099 inches single mounting facility

## Nonpile-up Main Contact Arrangement:

8 pole, double throw, one position momentary

## NSN 5945-00-630-6040

Electromagnetic Relay - Page 2 of 2



**Operating Voltage Rating And Type At Specificationified Temp:** 12.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 5.0 amperes ac resistive load and 5.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 28.0 dc **Precious Material And Location:** Contacts silver **Precious Material:** Silver **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 26 tab, solder lug all functions Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A03300