## NSN 5945-00-644-9181

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-644-9181 **Overall Length:** 3.016 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.500 inches single mounting facility **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.000 inches single mounting facility **Overall Height:** 2.000 inches **Overall Width:** 2.500 inches **Unthreaded Mounting Hole Diameter:** 0.219 inches single mounting facility Winding Quantity: **Coil Quantity: Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 unthreaded hole single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 3 pole, single throw, normally open, momentary action **Operating Current Rating And Type:** 250.0 milliamperes dc single winding Operating Voltage Rating And Type At Specificationified Temp: 28.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 5.0 amperes ac resistive load and 5.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 200.0 ac and 28.0 dc **Terminal Type And Quantity:** 8 threaded stud all functions **Specification Data:** 88044-an3335 government standard Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5945-00-644-9181

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300

Mil-std (military Standard):

Mil-r-6106 spec.