NSN 5945-00-644-9258

Electromagnetic Relay - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5945-00-644-9256
Overall Length:
1.850 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.875 inches single mounting facility
Overall Diameter:
0.650 inches
Environmental Protection:
Hermetic and shock proof and watertight
Unthreaded Mounting Hole Diameter:
0.125 inches single mounting facility
End Application:
Type an/apg32, 32a
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
235.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Inert gas
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
26.5 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
29.0 dc
Terminal Type And Quantity:
8 pin all functions
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 5945-00-644-9258

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300