NSN 5945-00-652-5935

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-652-5935

| Thread Class: |
|---|
| 2a single mounting facility |
| Overall Length: |
| 1.330 inches |
| Overall Height: |
| 1.950 inches |
| Overall Width: |
| 0.960 inches |
| Environmental Protection: |
| Hermetic |
| Winding Quantity: |
| 1 |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 230.0 ohms single winding |
| Duty Type: |
| Continuous |
| Mounting Facility Type And Quantity: |
| 3 threaded stud single mounting facility |
| Pile-up Main Contact Form Arrangement: |
| 4a |
| Features Provided: |
| Polarized |
| Thready Qty Per Inch (tpi): |
| 40 single mounting facility |
| Thread Size: |
| 0.112 inches single mounting facility |
| Mounting Facility Pattern: |
| Ciruclar single mounting facility |
| Operating Current Rating And Type: |
| 120.0 milliamperes dc single winding |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 28.0 volts dc 25 degrees celsius single winding |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 2.0 amperes ac resistive load and 40.0 milliamperes dc resistive load |
| Angle Between Adjacent Mounting Facilities: |
| 120.0 degrees single mounting facility |
| Main Contact Maximum Voltage Rating In Volts: |
| 115.0 ac and 400.0 dc |
| Thread Series Designator: |
| |

Unc single mounting facility

NSN 5945-00-652-5935

Electromagnetic Relay - Page 2 of 2



| Terminal Type A | and Quantity | / : |
|-----------------|--------------|------------|
|-----------------|--------------|------------|

10 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300