NSN 5945-00-655-3146

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-655-3146

Thread Class:

2a single mounting facility

Overall Length:

1.680 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.112 inches single mounting facility

Overall Diameter:

1.110 inches

Environmental Protection:

Hermetic

Winding Quantity:

• • • •

Coil Quantity:

.

Winding Dc Resistance Rating:

700.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

40 single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Operating Current Rating And Type:

20.0 milliamperes dc single winding

Time Delay:

0.001 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

37.3 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.5 amperes ac resistive load and 1.5 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 26.5 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

11 pin all functions

NSN 5945-00-655-3146

Electromagnetic Relay - Page 2 of 2



he		

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300