NSN 5945-00-657-2250

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-00-657-2250

Overall Length:
4.875 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.000 inches single mounting facility
Overall Height:
3.000 inches
Overall Width:
3.625 inches
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally closed, momentary action
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
4.250 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
15.0 amperes ac resistive load
15.0 amperes ac resistive load Main Contact Maximum Voltage Rating In Volts:
·
Main Contact Maximum Voltage Rating In Volts:
Main Contact Maximum Voltage Rating In Volts: 440.0 ac
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity:
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity: 8 screw all functions
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity: 8 screw all functions Shelf Life:
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity: 8 screw all functions Shelf Life: N/a
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity: 8 screw all functions Shelf Life: N/a
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity: 8 screw all functions Shelf Life: N/a Unit Of Measure:
Main Contact Maximum Voltage Rating In Volts: 440.0 ac Terminal Type And Quantity: 8 screw all functions Shelf Life: N/a Unit Of Measure: Demilitarization: