## NSN 5945-00-660-6240

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-660-6240

**Thread Class:** 2a single mounting facility **Overall Length:** 1.060 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.488 inches single mounting facility **Overall Height:** 0.790 inches **Overall Width:** 0.790 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 600.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** In-line single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 44.0 milliamperes dc single winding Time Delay: 0.005 seconds fixed operate and release time **Operating Voltage Rating And Type At Specificationified Temp:** 26.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load and 2.0 amperes dc resistive load

115.0 ac and 32.0 dc

**Thread Series Designator:** 

**Main Contact Maximum Voltage Rating In Volts:** 

Unc single mounting facility

## NSN 5945-00-660-6240

Electromagnetic Relay - Page 2 of 2



Terminal Type Ar	nd Quantity:
------------------	--------------

8 threaded stud all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300