# NSN 5945-00-660-9866

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-660-9866

# Overall Length:

1.210 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.125 inches single mounting facility

**Overall Height:** 

1.020 inches

**Overall Width:** 

0.390 inches

**Environmental Protection:** 

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.096 inches single mounting facility

Winding Quantity:

1

#### **Coil Quantity:**

.

#### Winding Dc Resistance Rating:

552.0 ohms single winding

**Duty Type:** 

Continuous

#### **Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

50.0 milliamperes dc single winding

## Operating Voltage Rating And Type At Specificationified Temp:

26.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

#### **Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

## **Precious Material:**

Gold and silver

#### **Terminal Type And Quantity:**

8 pin all functions

# NSN 5945-00-660-9866

Electromagnetic Relay - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A03300