

View Online at <https://aerobasegroup.com/nsn/5945-00-665-7685>

Thread Class:

2b mounting facility hole

Thread Direction:

Right-hand mounting facility hole

Body Style:

O-frame

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 0.984 inches and 1.016 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 1.109 inches and 1.141 inches

Body Length:

2.094 inches

Body Width:

2.078 inches

Body Height:

1.750 inches

Case Material:

Iron

Case Surface Treatment:

Cadmium

Environmental Protection:

Fungus resistant and water resistant

Maximum Operating Temp:

85.0 degrees celsius

Actuator Diameter:

0.625 inches

Inclosure Type:

Partially enclosed, shell

Magnetic Coil Quantity:

1

Electrical Resistance:

41.30 ohms

Duty Type:

Continuous

Terminal Location:

Top edge on end opposite actuator

Voltage Rating In Volts:

13.5 dc

Mounting Facility Type And Quantity:

4 threaded hole

Current Rating:

325.0 milliamperes

Thready Qty Per Inch (tpi):

32 mounting facility hole

Actuator Stroke Type:

Pull

Linear Force Delivered:

250.0 grams

Power Takeoff Connection Type:

Slotted-drilled

Energizing Stroke Maximum Length:

0.500 inches

Thread Size:

0.164 inches mounting facility hole

Mounting Facility Pattern:

Four position rectangular

Thread Series Designator:

Unc mounting facility hole

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0