

NSN 5945-00-666-1507 Electromagnetic Relay - Page 1 of 2	AG
View Online at https://aerobasegroup.com/nsn/5945-00-666-1507	
Overall Length:	
2.500 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
2.062 inches single mounting facility	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
2.062 inches single mounting facility	
Overall Height:	
4.000 inches	
Overall Width:	
2.500 inches	
Environmental Protection:	
Hermetic	
Unthreaded Mounting Hole Diameter:	
0.169 inches single mounting facility	
End Application:	
Type an/urn-3	
Frequency In Hertz:	
60.0	
Winding Quantity:	

1

Coil Quantity:

Winding Dc Resistance Rating:

100.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Inert gas

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Features Provided:

Polarized

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

90.0 milliamperes ac single winding

Operating Voltage Rating And Type At Specificationified Temp:

85.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load

NSN 5945-00-666-1507

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:		

Fiig: A03300