## NSN 5945-00-681-0173

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-681-0173

**Thread Class:** 

2a single mounting facility

**Overall Length:** 

2.150 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.187 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.687 inches single mounting facility

**Overall Height:** 

1.030 inches

**Overall Width:** 

1.530 inches

**Environmental Protection:** 

Hermetic

Frequency In Hertz:

400.0

**Winding Quantity:** 

**Coil Quantity:** 

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

4 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

**Thread Size:** 

0.138 inches single mounting facility

**Mounting Facility Pattern:** 

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:** 

2 pole, double throw, one position momentary

**Operating Current Rating And Type:** 

70.0 milliamperes ac single winding

Time Delay:

0.05 seconds fixed release time

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 6.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

## NSN 5945-00-681-0173

Electromagnetic Relay - Page 2 of 2



Thread Series Designator	T	hread	Series	Design	ator
--------------------------	---	-------	--------	--------	------

Unc single mounting facility

**Terminal Type And Quantity:** 

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300