NSN 5945-00-682-2762

Electrical Solenoid - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5945-00-682-2762

2a mounting facility stud
Body Style:
Armature end actuator
Body Diameter:
1.123 inches
Body Height:
0.816 inches
Case Material:
Steel
Case Surface Treatment:
Any acceptable
Environmental Protection:
Oil tight and salt spray resistant
Maximum Operating Temp:
71.0 degrees celsius
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
42.80 ohms
Duty Type:
Continuous
Terminal Location:
Circumference
Voltage Rating In Volts:
29.0 dc
Mounting Facility Type And Quantity:
2 threaded stud
Torque Rating And Type:
0.25 inch-pounds starting
Actuator Stroke Type:
Rotary
Power Takeoff Connection Type:
Plate coupling
Plate Coupling Facility And Quantity:
1 unthreaded stud
Plate Coupling Facility Radius:
Plate Coupling Facility Radius: 0.375 inches

NSN 5945-00-682-2762

Electrical Solenoid - Page 2 of 2

Fiig: A134a0



Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:
35.0 clockwise
Thread Series Designator:
Unc mounting facility stud
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No