NSN 5945-00-682-9367

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-682-9367

Thread Class: 2a single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Length:** 1.344 inches Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 1.921 inches **Overall Width:** 0.953 inches **Case Material:** Steel, corrosion resisting **Environmental Protection:** Hermetic **Fragility Factor:** Moderately rugged **Contact Material:** Silver Winding Quantity: 1 **Purpose For Which Designed:** General **Coil Quantity:** 1 Winding Dc Resistance Rating: 700.0 ohms single winding **Duty Type:** Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 3 threaded stud single mounting facility Storage Type: General purpose warehouse **Cubic Measure:** 2.446 cubic inches Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility

NSN 5945-00-682-9367

Electromagnetic Relay - Page 2 of 2



Mounting Facili	ty Pattern:
Triangle single m	nounting facility
Nonpile-up Mair	n Contact Arrangement:
2 pole, double th	nrow, one position momentary
Time Delay:	
0.015 seconds fi	ixed operate time
Center To Cente	er Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.000 inches sin	gle mounting facility
Operating Volta	ge Rating And Type At Specificationified Temp:
24.0 volts dc 25 d	degrees celsius single winding
Main Contact Lo	oad Current Rating At Maximum Rated Voltage:
115.0 amperes a	c resistive load and 28.0 amperes dc resistive load
Main Contact M	aximum Voltage Rating In Volts:
115.0 ac and 28.	0 dc
Precious Materi	al And Location:
Contacts silver	
Precious Materi	al:
Silver	
Thread Series D	esignator:
Unc single moun	ting facility
Terminal Type A	And Quantity:
8 wire hook all fu	nctions
Shelf Life:	
N/a	
Unit Of Measure	
Demilitarization	:
No	
Fiig:	
A03300	