## NSN 5945-00-685-9205

Electromagnetic Relay - Page 1 of 2

**Thread Class:** 

Overall Length: 1.344 inches

**Overall Height:** 

2a single mounting facility

0.500 inches single mounting facility



View Online at https://aerobasegroup.com/nsn/5945-00-685-9205

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.912 inches		
Overall Width:		
0.953 inches		
Case Material:		
Metal		
Environmental Protection:		
Hermetic		
Fragility Factor:		
Moderately rugged		
Contact Material:		
Silver		
Winding Quantity:		
1		
Purpose For Which Designed:		
General		
Coil Quantity:		
1		
Winding Dc Resistance Rating:		
280.0 ohms single winding		
Duty Type:		
Continuous		
Arc Quenching Method:		
Air		
Mounting Facility Type And Quantity:		
3 threaded stud single mounting facility		
Storage Type:		
General purpose warehouse		
Cubic Measure:		
2.448 cubic inches		
Thread Size:		
0.112 inches single mounting facility		
Mounting Facility Pattern:		
Triangle single mounting facility		
Nonpile-up Main Contact Arrangement:		
2 pole, double throw, one position momentary		

## NSN 5945-00-685-9205

Electromagnetic Relay - Page 2 of 2



Time	Del	av:
	-	ч,

0.015 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.000 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:** 

32.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 26.5 dc

**Precious Material And Location:** 

Contacts silver

**Precious Material:** 

Silver

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300