# NSN 5945-00-685-9334

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-685-9334

#### **Thread Class:**

2b single mounting facility

#### **Overall Length:**

4.370 inches

### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.500 inches single mounting facility

#### **Overall Height:**

1.790 inches

**Overall Width:** 

0.930 inches

#### **End Application:**

Type no. Sb-249a/ttc

#### Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

560.0 ohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

2 threaded hole single mounting facility

### Pile-up Main Contact Form Arrangement:

3a

## Thready Qty Per Inch (tpi):

32 single mounting facility

## Thread Size:

0.138 inches single mounting facility

## Mounting Facility Pattern:

In-line single mounting facility

## Operating Current Rating And Type:

10.0 milliamperes dc single winding

## Operating Voltage Rating And Type At Specificationified Temp:

48.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

500.0 milliamperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

50.0 dc

## **Thread Series Designator:**

Unc single mounting facility

## Terminal Type And Quantity:

8 pin all functions

# NSN 5945-00-685-9334

Electromagnetic Relay - Page 2 of 2



Fsc Application Data (non-core):

Relay, armature, except engine

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300