## NSN 5945-00-686-1534

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-686-1534

Thread Class:
2a single mounting facility

**Overall Length:** 

0.880 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.800 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.220 inches single mounting facility

**Overall Height:** 

0.350 inches

**Overall Width:** 

0.790 inches

**Environmental Protection:** 

Hermetic

**End Application:** 

Sea king helicopter; sea knight helicopter

**Winding Quantity:** 

2

**Coil Quantity:** 

,

Winding Dc Resistance Rating:

342.0 ohms all windings

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

2 threaded stud single mounting facility

**Pile-up Main Contact Form Arrangement:** 

2c

Thready Qty Per Inch (tpi):

40 single mounting facility

**Thread Size:** 

0.112 inches single mounting facility

**Mounting Facility Pattern:** 

Diagonal single mounting facility

**Operating Current Rating And Type:** 

2.0 amperes dc all windings

Time Delay:

0.006 seconds fixed operate time

**Operating Voltage Rating And Type At Specificationified Temp:** 

21.5 volts dc 25 degrees celsius all windings

Main Contact Maximum Voltage Rating In Volts:

23.0 dc

## NSN 5945-00-686-1534

Electromagnetic Relay - Page 2 of 2



	T	hr	ead	<b>Series</b>	Design	nator
--	---	----	-----	---------------	--------	-------

Unc single mounting facility

**Terminal Type And Quantity:** 

10 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300