# NSN 5945-00-686-1534

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-686-1534

## Thread Class:

2a single mounting facility

#### **Overall Length:**

0.880 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.800 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.220 inches single mounting facility

#### **Overall Height:**

0.350 inches

#### **Overall Width:**

0.790 inches

**Environmental Protection:** 

Hermetic

#### **End Application:**

Sea king helicopter; sea knight helicopter

#### Winding Quantity:

2

#### **Coil Quantity:**

2

Winding Dc Resistance Rating:

### 342.0 ohms all windings

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

#### Pile-up Main Contact Form Arrangement:

2c

## Thready Qty Per Inch (tpi):

40 single mounting facility

## Thread Size:

0.112 inches single mounting facility

## Mounting Facility Pattern:

Diagonal single mounting facility

## **Operating Current Rating And Type:**

2.0 amperes dc all windings

## Time Delay:

0.006 seconds fixed operate time

## Operating Voltage Rating And Type At Specificationified Temp:

21.5 volts dc 25 degrees celsius all windings

## Main Contact Maximum Voltage Rating In Volts:

23.0 dc

## NSN 5945-00-686-1534

Electromagnetic Relay - Page 2 of 2



**Thread Series Designator:** 

Unc single mounting facility

Terminal Type And Quantity:

10 pin all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300