NSN 5945-00-686-8007

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-686-8007

Body Style:
Cylindrical frame
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.985 inches
Body Diameter:
1.125 inches
Body Length:
3.500 inches
Case Material:
Metal
Unthreaded Mounting Hole Diameter:
0.125 inches
Maximum Operating Temp:
100.0 degrees celsius
Mounting Base Width:
3.875 inches
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
130.00 ohms
130.00 ohms Duty Type:
Duty Type:
Duty Type: Continuous
Duty Type: Continuous Terminal Location:
Duty Type: Continuous Terminal Location: Circumference
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts:
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity:
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating:
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating: 130.0 milliamperes
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating: 130.0 milliamperes Torque Rating And Type:
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating: 130.0 milliamperes Torque Rating And Type: 1.88 inch-pounds starting
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating: 130.0 milliamperes Torque Rating And Type: 1.88 inch-pounds starting Actuator Stroke Type:
Duty Type: Continuous Terminal Location: Circumference Voltage Rating In Volts: 29.0 dc Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating: 130.0 milliamperes Torque Rating And Type: 1.88 inch-pounds starting Actuator Stroke Type: Rotary

Four position rectangular

NSN 5945-00-686-8007 Electrical Solenoid - Page 2 of 2

Fiig: A134a0

