NSN 5945-00-688-2391

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-688-2391

Thread Class: 2a single mounting facility **Overall Length:** 2.060 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.500 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 1.500 inches single mounting facility **Overall Height:** 1.800 inches **Overall Width:** 2.060 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 92.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded stud single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 4 pole, double throw, one position momentary **Operating Current Rating And Type:** 350.0 milliamperes dc single winding **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load and 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 200.0 ac and 28.0 dc **Thread Series Designator:**

Unc single mounting facility

NSN 5945-00-688-2391

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

14 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300