## NSN 5945-00-688-7646

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-688-7646 **Overall Length:** 0.870 inches **Center To Center Distance Between Mounting Facilities Parallel To Length:** 1.062 inches single mounting facility **Overall Height:** 0.790 inches **Overall Width:** 0.350 inches **Environmental Protection:** Hermetic **Unthreaded Mounting Hole Diameter:** 0.125 inches single mounting facility Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 552.0 ohms all windings **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 unthreaded hole single mounting facility **Mounting Facility Pattern:** In-line single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.006 seconds fixed operate time Operating Voltage Rating And Type At Specificationified Temp: 28.0 volts dc 25 degrees celsius all windings Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load and 2.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac and 28.0 dc **Terminal Type And Quantity:** 10 pin all functions Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5945-00-688-7646

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300