

View Online at <https://aerobasegroup.com/nsn/5945-00-708-7571>

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

2.070 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.375 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches single mounting facility

Overall Height:

3.390 inches

Overall Width:

2.070 inches

Environmental Protection:

Shock resistant and vibration resistant

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

92.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Features Provided:

Coil voltage suppression

Cubic Measure:

14.525 cubic inches

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.164 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

Time Delay:

0.05 seconds fixed release time

Operating Voltage Rating And Type At Specificationified Temp:

26.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

16.0 amperes ac resistive load and 16.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300